


L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 20H-9,12-Imino-2,21-metheno-7,4:14,17-dinitrilopyrano[4,3-
 b]azacyclononadecine-16-propanoic acid, 10-acetyl-5-ethyl-1,5,6,15,16,18-
 hexahydro-6,11,15,22-tetramethyl-18,20-dioxo-, propyl ester,
 (5R,6R,15S,16S) - (9CI)
 MF C36 H40 N4 O6

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):47

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 21H,23H-Porphine-7-propanoic acid, 3-[[[(cyclohexylamino)(cyclohexylimino)m
 ethoxy]carbonyl]-13-ethenyl-18-ethyl-5-[(hexylamino)carbonyl]-7,8-dihydro-
 2,8,12,17-tetramethyl-, methyl ester, (7S,8S) - (9CI)
 MF C53 H71 N7 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN L-Aspartic acid, N19-[N-(1,1-dimethylethyl)glycyl]-(15S,16S)-10-ethenyl-5-ethyl-16,18,19,20-tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-4,7:14,17-diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-b]azacyclononadecine-16-propanoyl-, bis(1,1-dimethylethyl) ester (9CI)
 MF C51 H65 N7 O8


Absolute stereochemistry.
 Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 20H-9,12-Imino-2,21-metheno-7,4:14,17-dinitrilopyrano[4,3-b]azacyclononadecine-16-propanoic acid, 10-acetyl-5-ethyl-20-(heptylimino)-1,5,6,15,16,18-hexahydro-6,11,15,22-tetramethyl-18-oxo-, propyl ester, (5R,6R,15S,16S) - (9CI)
 MF C43 H55 N5 O5


Absolute stereochemistry.
 Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 15H-9,12-Imino-21,2-metheno-4,7:17,14-dinitrilopyrano[4,3-
b]azacyclononadecine-16-propanoic acid, 10-ethenyl-5-ethyl-18-
[[(hexylamino) carbonyl] imino] -1,16,18,20-tetrahydro-6,11,15,22-tetramethyl-
20-oxo-, methyl ester, (15S,16S)- (9CI)
MF C41 H48 N6 O5


Absolute stereochemistry.
Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN L-Aspartic acid, N-[3-[(15S,16S)-19-[2-(1,1-dimethylethoxy)-2-oxoethyl]-10-
ethenyl-5-ethyl-16,18,19,20-tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-
4,7:14,17-diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-
b]azacyclononadecin-16-yl]-1-oxopropyl]-, bis(1,1-dimethylethyl) ester
(9CI)
MF C51 H64 N6 O9


Absolute stereochemistry.
Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-
 b]azacyclonadecine-16-propanoic acid, 5-ethyl-10-[1-(heptyloxy)ethyl]-19-
 hexyl-16,18,19,20-tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-, methyl
 ester, (15S,16S)- (9CI)
 MF C47 H63 N5 O5

Absolute stereochemistry.
 Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 1-Hexanol (9CI)


MF C6 H14 O
CI COM

HO- (CH₂)₅-Me

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 21H,23H-Porphine-7-propanoic acid, 5-carboxy-13-ethenyl-18-ethyl-3-
[(hexylamino)carbonyl]-7,8-dihydro-2,8,12,17-tetramethyl-, α -methyl
ester, (7S,8S)- (9CI)
MF C40 H49 N5 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 15H-9,12-Imino-21,2-metheno-4,7:17,14-dinitrilopyrano[4,3-
b]azacyclononadecine-16-propanoic acid, 10-ethenyl-5-ethyl-1,16,18,20-
tetrahydro-6,11,15,22-tetramethyl-20-oxo-18-[(1-oxoheptyl)imino]-, methyl
ester, (15S,16S)- (9CI)
MF C41 H47 N5 O5


Absolute stereochemistry.
Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 21H,23H-Porphine-7-propanoic acid, 13-acetyl-3-carboxy-18-ethyl-5-
 [(hexylamino)carbonyl]-7,8,17,18-tetrahydro-2,8,12,17-tetramethyl-,
 α-propyl ester, [7S-(7α,8β,17β,18α)]- (9CI)
 MF C42 H55 N5 O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 20H-9,12-Imino-2,21-metheno-7,4:14,17-dinitrilopyrano[4,3-
 b]azacyclononadecine-16-propanoic acid, 10-acetyl-5-ethyl-1,5,6,15,16,18-
 hexahydro-6,11,15,22-tetramethyl-20-oxo-18-(propylimino)-, propyl ester,
 (5R,6R,15S,16S)- (9CI)
 MF C39 H47 N5 O5


Absolute stereochemistry.
 Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-
 b]azacyclononadecine-16-propanoic acid, 10-ethenyl-5-ethyl-19-
 [(hexylamino)carbonyl]-16,18,19,20-tetrahydro-6,11,15,22-tetramethyl-18,20-
 dioxo-, methyl ester, (15S,16S) - (9CI)
 MF C41 H48 N6 O5

Absolute stereochemistry.
 Double bond geometry unknown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-
 b]azacyclononadecine-16-propanoic acid, 16,18,19,20-tetrahydro-5-ethyl-10-
 (1-methoxyethyl)-6,11,15,22-tetramethyl-18,20-dioxo-19-propyl-, methyl
 ester, (15S,16S) - (9CI)

MF C38 H45 N5 O5


Absolute stereochemistry.
Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-
b]azacyclononadecine-16-propanoic acid, 10-ethenyl-5-ethyl-16,18,19,20-
tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-19-propyl-, methyl ester,
(15S,16S) - (9CI)
MF C37 H41 N5 O4

Absolute stereochemistry.
Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 1-Heptanol (9CI)
 MF C7 H16 O
 CI COM

Me-(CH₂)₆-OH

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 21H,23H-Porphine-7-propanoic acid, 3-carboxy-13-ethenyl-18-ethyl-5-
 [(hexylamino)carbonyl]-7,8-dihydro-2,8,12,17-tetramethyl-, α -methyl
 ester, (7S,8S)- (9CI)
 MF C40 H49 N5 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 15H-9,12-Imino-21,2-metheno-4,7:17,14-dinitrilopyrano[4,3-
 b]azacyclononadecine-16-propanoic acid, 10-ethenyl-5-ethyl-1,16,18,20-
 tetrahydro-6,11,15,22-tetramethyl-18-oxo-20-[(1-oxoheptyl)imino]-, methyl
 ester, (15S,16S)- (9CI)
 MF C41 H47 N5 O5


Absolute stereochemistry.
 Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 21H,23H-Porphine-7-propanoic acid, 13-acetyl-5-carboxy-18-ethyl-3-
 [(hexylamino)carbonyl]-7,8,17,18-tetrahydro-2,8,12,17-tetramethyl-,
 α-propyl ester, [7S-(7α,8β,17β,18α)]- (9CI)
 MF C42 H55 N5 O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 20H-9,12-Imino-2,21-metheno-7,4:14,17-dinitrilopyrano[4,3-
 b]azacyclononadecine-16-propanoic acid, 10-acetyl-5-ethyl-1,5,6,15,16,18-
 hexahydro-6,11,15,22-tetramethyl-18-oxo-20-(propylimino)-, propyl ester,
 [5R-(5R*,6R*,15S*,16S*)]- (9CI)
 MF C39 H47 N5 O5


Absolute stereochemistry.
 Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 20H-9,12-Imino-2,21-metheno-7,4:14,17-dinitrilopyrano[4,3-
 b]azacyclononadecine-16-propanoic acid, 10-acetyl-5-ethyl-20-(pentylimino)-
 1,5,6,15,16,18-hexahydro-6,11,15,22-tetramethyl-18-oxo-, propyl ester,
 (5R,6R,15S,16S) - (9CI)
 MF C41 H51 N5 O5


Absolute stereochemistry.
 Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-
 b]azacyclononadecine-16-propanoic acid, 5-ethyl-16,18,19,20-tetrahydro-
 6,11,15,22-tetramethyl-18,20-dioxo-10-(1-propoxyethyl)-19-propyl-, methyl
 ester, (15S,16S) - (9CI)
 MF C40 H49 N5 O5

Absolute stereochemistry.
 Double bond geometry unknown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Methanol (8CI, 9CI)
 MF C H4 O
 CI COM

H₃C—OH

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN Cyclohexanamine, N,N'-methanetetraylbis- (9CI)
 MF C13 H22 N2
 CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 20H-9,12-Imino-2,21-metheno-7,4:14,17-dinitrilopyrano[4,3-b]azacyclononadecine-16-propanoic acid, 10-acetyl-5-ethyl-20-(hexylimino)-1,5,6,15,16,18-hexahydro-6,11,15,22-tetramethyl-18-oxo-, propyl ester, (5R,6R,15S,16S) - (9CI)
 MF C42 H53 N5 O5


Absolute stereochemistry.
 Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-
 b]azacyclononadecine-16-propanoic acid, 10-ethenyl-5-ethyl-16,18,19,20-
 tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-19-(1-oxoheptyl)-, methyl
 ester, [15S-(15R*,16R*)]- (9CI)
 MF C41 H47 N5 O5


Absolute stereochemistry.
 Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 21H,23H-Porphine-7-propanoic acid, 13-acetyl-3-
 [[[cyclohexylamino)(cyclohexylimino)methoxy]carbonyl]-18-ethyl-5-
 [(hexylamino)carbonyl]-7,8,17,18-tetrahydro-2,8,12,17-tetramethyl-, propyl
 ester, [7S-(7 α ,8 β ,17 β ,18 α)]- (9CI)
 MF C55 H77 N7 O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 20H-9,12-Imino-2,21-metheno-7,4:14,17-dinitrilopyrano[4,3-
 b]azacyclononadecine-16-propanoic acid, 10-acetyl-18-(decylimino)-5-ethyl-
 1,5,6,15,16,18-hexahydro-6,11,15,22-tetramethyl-20-oxo-, propyl ester,
 (5R,6R,15S,16S) - (9CI)
 MF C46 H61 N5 O5

Absolute stereochemistry.
 Double bond geometry unknown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-

b]azacyclononadecine-16-propanoic acid, 10-ethenyl-5-ethyl-19-hexyl-
16,18,19,20-tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-, methyl ester,
(15S,16S) - (9CI)

MF C40 H47 N5 O4


Absolute stereochemistry.
Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-
b]azacyclononadecine-16-propanoic acid, 5-ethyl-19-hexyl-16,18,19,20-
tetrahydro-10-(1-methoxyethyl)-6,10,15,22-tetramethyl-18,20-dioxo-, methyl
ester, (15S,16S) - (9CI)
MF C41 H51 N5 O5

Absolute stereochemistry.
Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1-Propanol (9CI)
MF C3 H8 O
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 3-Phorbinepropanoic acid, 9-ethenyl-14-ethyl-21-(methoxycarbonyl)-
4,8,13,18-tetramethyl-20-oxo-, methyl ester, (3S,4S,21R)- (9CI)
MF C36 H38 N4 O5
CI COM


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 20H-9,12-Imino-2,21-metheno-7,4:14,17-dinitrilopyrano[4,3-
b]azacyclononadecine-16-propanoic acid, 10-acetyl-5-ethyl-18-(hexylimino)-
1,5,6,15,16,18-hexahydro-6,11,15,22-tetramethyl-20-oxo-, propyl ester,
(5R,6R,15S,16S)- (9CI)
MF C42 H53 N5 O5


Absolute stereochemistry.
Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN L-Aspartic acid, N-[3-[(15S,16S)-10-ethenyl-5-ethyl-16,18,19,20-tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-19-(1-oxoheptyl)-4,7:14,17-diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-b]azacyclononadecin-16-yl]-1-oxopropyl]-, dimethyl ester (9CI)
 MF C46 H54 N6 O8

Absolute stereochemistry.
 Double bond geometry unknown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 21H,23H-Porphine-7-propanoic acid, 13-acetyl-5-[[[(cyclohexylamino)(cyclohexylimino)methoxy]carbonyl]-18-ethyl-3-

[(hexylamino) carbonyl]-7,8,17,18-tetrahydro-2,8,12,17-tetramethyl-, propyl ester, [7S-(7 α ,8 β ,17 β ,18 α)]- (9CI)
 MF C55 H77 N7 O6


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 20H-9,12-Imino-2,21-metheno-7,4:14,17-dinitrilopyrano[4,3-b]azacyclononadecine-16-propanoic acid, 10-acetyl-20-(decylimino)-5-ethyl-1,5,6,15,16,18-hexahydro-6,11,15,22-tetramethyl-18-oxo-, propyl ester, (5R,6R,15S,16S)- (9CI)
 MF C46 H61 N5 O5

Absolute stereochemistry.
 Double bond geometry unknown.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN L-Aspartic acid, N-[3-[(15S,16S)-10-ethenyl-5-ethyl-19-hexyl-16,18,19,20-tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-4,7:14,17-diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-b]azacyclononadecin-16-yl]-1-

oxopropyl]-, dimethyl ester (9CI)
MF C45 H54 N6 O7


Absolute stereochemistry.
Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-
b]azacyclononadecine-16-propanoic acid, 5-ethyl-19-hexyl-16,18,19,20-
tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-10-(1-propoxyethyl)-, methyl
ester, (15S,16S)- (9CI)
MF C43 H55 N5 O5

Absolute stereochemistry.
Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1-Propanamine (9CI)
MF C3 H9 N
CI COM



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 15H-9,12-Imino-21,2-metheno-4,7:17,14-dinitrilo-pyrano[4,3-b]azacyclononadecine-16-propanoic acid, 10-ethenyl-5-ethyl-1,16,18,20-tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-, methyl ester, (15S,16S)-(9CI)
MF C34 H34 N4 O5


Absolute stereochemistry. Rotation (+).



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 21H,23H-Porphine-7-propanoic acid, 5-[[[(cyclohexylamino)(cyclohexylimino)methoxy]carbonyl]-13-ethenyl-18-ethyl-3-[(hexylamino)carbonyl]-7,8-dihydro-2,8,12,17-tetramethyl-, methyl ester, (7S,8S)-(9CI)
MF C53 H71 N7 O5


Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN L-Aspartic acid, N-[3-[(15S,16S)-10-ethenyl-5-ethyl-16,18,19,20-tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-19-(1-oxoheptyl)-4,7:14,17-diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-b]azacyclononadecin-16-yl]-1-oxopropyl]-, bis(1,1-dimethylethyl) ester (9CI)
 MF C52 H66 N6 O8


Absolute stereochemistry.
 Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
 IN 20H-9,12-Imino-2,21-metheno-7,4:14,17-dinitrilopyrano[4,3-b]azacyclononadecine-16-propanoic acid, 10-acetyl-5-ethyl-18-(heptylimino)-1,5,6,15,16,18-hexahydro-6,11,15,22-tetramethyl-20-oxo-, propyl ester, (5R,6R,15S,16S)- (9CI)
 MF C43 H55 N5 O5


Absolute stereochemistry.
Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 15H-9,12-Imino-21,2-metheno-4,7:17,14-dinitrilopyrano[4,3-
b]azacyclononadecine-16-propanoic acid, 10-ethenyl-5-ethyl-20-
[[(hexylamino) carbonyl] imino] -1,16,18,20-tetrahydro-6,11,15,22-tetramethyl-
18-oxo-, methyl ester, (15S,16S) - (9CI)
MF C41 H48 N6 O5

Absolute stereochemistry.
Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN L-Aspartic acid, N-[3-[(15S,16S)-10-ethenyl-5-ethyl-19-hexyl-16,18,19,20-

tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-4,7:14,17-diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-b]azacyclononadecin-16-yl]-1-oxopropyl]-, bis(1,1-dimethylethyl) ester (9CI)

MF C51 H66 N6 O7

Absolute stereochemistry.

Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT


L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN

IN 4,7:14,17-Diimino-2,21-metheno-9,12-nitrilo-15H-pyrido[4,3-b]azacyclononadecine-16-propanoic acid, 5-ethyl-10-[1-(hexyloxy)ethyl]-16,18,19,20-tetrahydro-6,11,15,22-tetramethyl-18,20-dioxo-19-propyl-, methyl ester, (15S,16S)- (9CI)

MF C43 H55 N5 O5

Absolute stereochemistry.

Double bond geometry unknown.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 47 ANSWERS REGISTRY COPYRIGHT 2004 ACS on STN
IN 1-Hexanamine (9CI)
MF C6 H15 N
CI COM

$\text{H}_2\text{N}-(\text{CH}_2)_5-\text{Me}$

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

ALL ANSWERS HAVE BEEN SCANNED